

Project # Date

Construction Documents

003-S14

03.28.2014

airo

William McGuire

Semester

Course

Section


SP 14


ARC242


003

Floor Plans, Elevations, and Building Sections

A-1.0







Room Schedule										
Number	Name	Area	NorthEast	NorthWest	SouthEast	SouthWest	Floor Finish	Base Finish	Ceiling Finish	Comments
	•									•
105	Office	227 SF	PT 1	PT1	PT 1	PT 1	WF 1	WT 1	PT 4	-
104	Bathroom	60 SF	PT 2	PT 2	PT 2	PT 2	WF 1	WT 1	PT 2	-
103	Studio	299 SF	PT 3	PT 3	PT 3	PT 3	WF 1	WT 1	PT 4	-
102	Gallery	328 SF	PT 3	PT 3	PT 3	PT 3	WF 1	WT 1	PT 4	-
101	Foyer	104 SF	PT 3	PT 3	PT 3	PT 3	WF 1	WT 1	PT 4	-
106	Basement Storage	500 SF	PT 1	PT1	PT 1	PT 1	CT 1	WT 1	PT 4	-

105	Office	227 SF	PT 1	PT1	PT 1	PT 1	WF 1	WT 1	PT 4	-
104	Bathroom	60 SF	PT 2	PT 2	PT 2	PT 2	WF 1	WT 1	PT 2	-
103	Studio	299 SF	PT 3	PT 3	PT 3	PT 3	WF 1	WT 1	PT 4	-
102	Gallery	328 SF	PT 3	PT 3	PT 3	PT 3	WF 1	WT 1	PT 4	-
101	Foyer	104 SF	PT 3	PT 3	PT 3	PT 3	WF 1	WT 1	PT 4	-
106	Basement Storage	500 SF	PT 1	PT1	PT 1	PT 1	CT 1	WT 1	PT 4	-
	Cicrago									

Wall and Ceiling Finishes PT 1: Product: interior paint

Manufacturer: Sherwin Williams Color: 6653 Delicious Melon Sheen: satin

CT 1:

Product: hardwood flooring

Type: Hickory Finish: Antique

Product #: WEK4-6

Manufacturer: Blackhawk Flooring

PT 2: Product: interior paint Manufacturer: Sherwin Williams Color: 6767 Aquarium Sheen: latex


PT 3: Product: interior paint Manufacturer: Sherwin Williams Color: 0080 Pink Flamingo Sheen: satin

PT 4: Product: interior paint Manufacturer: Sherwin Williams Color: 7001 Marshmallow Sheen: satin

Base Conditions

Product: ceramic tile WT 1: Product: wood trim Manufacturer: Ayers Rock Color: Rustic Remnant Product #: 8667 Product #: 3005

Manufacturer: House of Fara



3' - 0" R.O.

wall section @ front door 3/4" = 1'-0" wall section @ casement window 3/4" = 1'-0"

— concrete footing

T.O. Basement Floor

T.O. Low Footing -9' - 10"

4" perferated drain pipe in gravel w/ filter fabric

#4 rebar -

4" perforated drain pipe

gravel base with filter fabric

(slope to drain) in



(5) A-2.0

R-38 batt insulation

1/2" gwb

6 A-2.0

 5/8" gwb on 2 x 4 studs at 24" O.C. w/ r-13 batt isulation

1/2" expansion

ceramic tile

on 6" concrete

slab on 2" rigid insulation board on 4"

concrete footing

joint

William McGuire Name SP 14 Semester ARC242 Course Checker Section

> Milliner 0 Q

Project# Date

> Construction Documents

003-S14

03.28.2014

Wall Sections, Details, Interior Elavations

A-2.0